

SURE-TRAC

By Novae®

SMART - CONFIDENT - PROVEN



THE TRAILER BOOK

Professional Open and Enclosed Trailers



all_valley_express



SMART



all_valley_express #TrailerTuesday moving some yard art to its new homes. The hydraulic tail and winch make it a breeze to load old dead equipment @suretractrailer

Photo Provided By user @all_valley_express



forgedconstruction



CONFIDENT



forgedconstruction After towing with Sure-Trac it was obvious that this was the trailer for me. The combination of reasonable price, exceptional build quality, and towing confidence made purchasing a Sure-Trac an easy decision. A decision I'm very happy with to this day. @suretractrailer

Photo Provided By user @forgedconstruction



PROVEN



envision_landscape_solutions Between the time spent unloading, the ability to bring far more material to and from a site, as well as expanding our offerings, this trailer has more than paid for itself [@suretractrailer](#)

Photo Provided By user [@envision_landscape_solutions](#)

04 LANDSCAPE AND UTILITY

- Tube Top Utility
- Tube Top ATV
- Tube Top 3-Board High Side
- Steel High Side

08 CAR HAULERS

- C-Channel
- Steel Deck
- Tilt Bed Manual and Electric

12 HYDRAULIC DUMP

- Utility
- Low Profile Homeowner
- SD Low Profile
- SD Deckover
- HD Low Profile
- HD Low Profile w/ 4' Sides
- HD Low Profile Tri-Axle
- HD Deckover w/ Fold-Down Sides
- HD Tandem Dual

20 EQUIPMENT

- Implement
- Full Width Implement
- Universal Ramp Implement
- Skid Steer
- HD Equipment
- Single Axle Tilt Bed
- Tilt Bed Equipment

26 DECKOVER

- SD Flatbed
- SD Beavertail
- HD Low Profile Beavertail Bumper Pull and Gooseneck
- HD Low Profile Power Tilt
- HD Low Profile w/ Hydraulic Beavertail
- Air Brake
- Low Profile Flatbed

32 ENCLOSED

- Pro Series Wedge Cargo
- Pro Series Round Top Cargo
- Moto Pro Wedge and Bullnose
- Pro Series Wedge Car Hauler
- Pro Series Round Top Car Hauler
- Racing Pro Bullnose Car Hauler
- Contractor Pro
- Landscape Pro

LANDSCAPE and UTILITY TRAILERS

SURE-TRAC offers a wide variety of Landscape and Utility Trailers to meet your demands. Whether you're looking to tackle weekend chores, enjoy a weekend of fun, or benefit your commercial business, we have a trailer to handle the task. Containing features like Self-Retained Gate Pins, Set-Back Jack, Fold-Flat HD Ramp Gate with Spring-Assist, and Enclosed Wiring, **SURE-TRAC** Landscape and Utility Trailers are widely respected for having the best features and fit and finish in the industry.

- TUBE TOP UTILITY
- TUBE TOP ATV
- TUBE TOP 3-BOARD HIGH SIDE
- STEEL HIGH SIDE





SURE-TRAC DIFFERENCE LANDSCAPE AND UTILITY TRAILERS

Enclosed Wiring



Enclosed to protect your electrical wires in the harshest elements.

Set-Back Jack



Conveniently located so you can safely lower your tailgate without hitting the jack.

Spring-Assist Gate



Spring-Assistance allows you to lower and raise the gate with less effort.

Self-Retained Gate Pins



With no loose components, your pins are always where you need them.

Fold-Flat HD Ramp Gate



HD square tube construction offers proven durability and easily folds flat to reduce air resistance.

TUBE TOP

Utility Trailer



Shown with optional HD Contractors Gate

13" Sides

10K Model shown features 3" x 2" Tube Top Rail, 7K Drop Leg Jack, and Reinforced gate.



FEATURES

- Radial Tires
- Easy Lube Hubs
- 2K Zinc Plated Set-Back Jack
- 2" x 2" Heavy Tube Top Rail for Structural Rigidity
- Tube Uprights
- Tread Plate Fenders
- Spare Tire Carrier
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Fold-Flat Ramp Gate with Handle
- Spring-Assisted Rear Ramp Gate
- Self-Retained Gate Pins
- Pressure Treated 2" x 6" Decking
- Front and Rear Board Retainers
- Wiring Enclosed In Tubular Steel
- All LED Lighting

OPTIONS

- Gate Upgrades
- Wheel Upgrades
- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options



Tube Top Rail and Uprights

Size	GVWR	Curb Weight	Payload	Deck Length	Deck Width
SA 5' x 10'	2990	960	2030	120"	61.5"
SA 6' x 10'	2990	990	2000	120"	71.5"
SA 6' x 12'	2990	1115	1875	144"	71.5"
SA 7' x 12'	2990	1300	1690	144"	81.5"
TA 7' x 14'	7000	1700	5300	168"	81.5"
TA 7' x 16' 7K 10K	7000 9900	1820 2530	5180 7370	192"	81.5"

More details available at sure-trac.com

TUBE TOP ATV

Utility Trailer



Set-Back Jack



13" Sides

FEATURES

- Radial Tires
- Easy Lube Hubs
- 2K Zinc Plated Set-Back Jack
- 2" x 2" Heavy Tube Top Rail for Structural Rigidity
- Tube Uprights
- Tread Plate Fenders
- Stake Pockets
- Spare Tire Carrier
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Fold-Flat Ramp Gate with Handle
- Spring-Assisted Rear Ramp Gate
- Self-Retained Gate Pins
- Front and Rear Board Retainers
- Wiring Enclosed in Tubular Steel
- Pressure Treated 2" x 6" Decking
- All LED Lighting
- 5' Fabricated Steel Ramps (Side Storing)

OPTIONS

- Gate Upgrades
- Wheel Upgrades
- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options



Spare Tire Carrier

Size	GVWR	Curb Weight	Payload	Deck Length	Deck Width
SA 6' x 12'	2990	1320	1670	144"	71.5"
SA 7' x 12'	2990	1370	1620	144"	71.5"
SA 7' x 14'	2990	1450	1540	168"	81.5"
TA 7' x 14'	7000	1740	5260	168"	81.5"
TA 7' x 16'	7000	1910	5090	192"	81.5"

More details available at sure-trac.com

TUBE TOP 3-BOARD HIGH SIDE

Utility Trailer



22" Sides



Fold-Flat HD Ramp Gate



D-Rings

FEATURES

- Radial Tires
- Easy Lube Hubs
- 2K Zinc Plated Set-Back Jack
- 2" x 2" Heavy Tube Top Rail for Structural Rigidity
- Tube Uprights
- Tread Plate Fenders
- Spare Tire Carrier
- (4) 1/2" D-Rings
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Fold-Flat Ramp Gate with Handle
- Spring-Assisted Rear Ramp Gate
- Self-Retained Gate Pins
- Pressure Treated 2" x 6" Decking
- Front and Rear Board Retainers
- 5/4 Treated Lumber Sides and Front
- All LED Lighting
- Wiring Enclosed in Tubular Steel

OPTIONS

- Gate Upgrades
- Wheel Upgrades
- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options

Size	GVWR	Curb Weight	Payload	Deck Length	Deck Width
SA 5' x 8'	2990	990	2000	96"	59.5"
SA 5' x 10'	2990	1170	1820	120"	59.5"
SA 6' x 10'	2990	1230	1760	120"	69.5"
SA 6' x 12'	2990	1300	1690	144"	69.5"
SA 7' x 12'	2990	1430	1560	144"	79.5"
TA 7' x 16'	7000	2210	4790	192"	79.5"

More details available at sure-trac.com

STEEL HIGH SIDE

Utility Trailer



13" Sides



FEATURES

- Radial Tires
- Easy Lube Hubs
- 2K Zinc Plated Set-Back Jack
- 13" Solid Sides with 4" Tie-Down Rail
- (4) 1/2" D-Rings (Single Axle)
- (6) 1/2" D-Rings (Tandem Axle)
- Tread Plate Fenders
- Spare Tire Carrier
- Gusseted Corners
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Fold-Flat Ramp Gate with Handle
- Spring-Assisted Rear Ramp Gate
- Self-Retained Gate Pins
- Pressure Treated 2" x 6" Decking
- Front and Rear Board Retainers
- Wiring Enclosed in Tubular Steel
- All LED Lighting

OPTIONS

- Gate Upgrades
- Wheel Upgrades
- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options



D-Rings

Size	GVWR	Curb Weight	Payload	Deck Length	Deck Width
SA 5' x 8'	2990	980	2010	96"	61.5"
SA 5' x 10'	2990	1060	1930	120"	61.5"
SA 6' x 10'	2990	1110	1880	120"	71.5"
SA 6' x 12'	2990	1230	1760	144"	71.5"
SA 7' x 12'	2990	1380	1610	144"	81.5"
TA 7' x 16'	7000	1950	5050	192"	81.5"

More details available at sure-trac.com

CAR HAULER TRAILERS

Whether you are pulling your stock car to the racetrack, transporting a car across the country, or winching up your project car, **SURE-TRAC** Car Haulers are the confident choice. Fully equipped with convenient features such as D-Rings, Stake Pockets, and Rub Rail that provide accessible tie-down points to properly secure your vehicle. Check out our full list of options to customize your car hauler.

- **C-CHANNEL CAR HAULER**
- **STEEL DECK CAR HAULER**
- **TILT BED CAR HAULER** MANUAL AND ELECTRIC





SURE-TRAC DIFFERENCE CAR HAULERS

Drop-In Toolbox (Optional)



Easily add on to your trailer to securely store necessary equipment.

Tilt Bed



Provides a simple option for safe and convenient loading.

Spare Tire Carrier



Convenient storage for carrying a spare tire.

Removable Fender



Provides optimal clearance for car doors, allowing easier exit and entry to vehicle.
*Driver's Side Fender

Easy Access Ramp Storage



Convenient access without the strain.

C-CHANNEL

Car Hauler



10K Model Features 7K Drop Leg Jack



FEATURES

- 15" Radial Tires
- Easy Lube Hubs
- Dual Brake Axles
- Sealed Brake Connections
- Set-Back Jack
- 2-5/16" A-Frame Coupler
- C-Channel Full Wrap Tongue
- HD Tube Bulkhead
- Spare Tire Carrier
- (4) 1/2" D-Rings
- HD Tread Plate Fenders
- 82" Between Fenders
- 2' Tread Plate Beavertail
- Stake Pockets
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Slide-In 5' Fabricated Ramps
- Pressure Treated 2" x 6" Decking
- EverLink™ Wiring Harness
- 7-Way RV-Style Electrical Plug
- All LED Lighting

OPTIONS

- Adjustable Coupler
- Removable Fenders
- Drop-In Toolbox
- Aluminum Wheels
- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options



Optional Drop-In Toolbox

Size	GVWR	Curb Weight	Payload	Deck Length (Flat Deck)	Deck Width
7' x 14' + 2'	7000	1940	5060	168"	82"
7' x 16' + 2'	7000	2085	4915	192"	82"
7' x 18' + 2'	7000	2200	4800	216"	82"
7' x 16' + 2'	9900	2380	7520	192"	82"
7' x 18' + 2'	9900	2550	7350	216"	82"

More details available at sure-trac.com

STEEL DECK

Car Hauler



10K Model Features 7K Drop Leg Jack



FEATURES

- 15" Radial Tires
- Aluminum Wheels
- Easy Lube Hubs
- Dual Brake Axles
- Sealed Brake Connections
- Tube Main Frame
- Tubular Full Wrapped Tongue
- Aerodynamic HD Steel Bulkhead
- Stake Pockets and Rub Rail
- (4) 1/2" D-Rings
- 2-5/16" A-Frame Coupler
- Set-Back Jack
- Spare Tire Carrier
- HD Tear Drop Tread Plate Fenders
- Removable Fender (Driver's Side)
- 82" Between Fenders
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- 7-Way RV-Style Electrical Plug
- EverLink™ Wiring Harness
- All LED Lighting
- Slide-In 5' Fabricated Ramps
- 4' Beavertail

OPTIONS

- Adjustable Coupler
- Additional D-Rings
- Drop-In Toolbox
- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options



Sure-Flow™ Aerodynamic Bulkhead

Size	GVWR	Curb Weight	Payload	Deck Length (Flat Deck)	Deck Width
7' x 14' + 4'	7000	1940	5060	168"	82"
7' x 16' + 4'	7000	2085	4915	192"	82"
7' x 14' + 4'	9900	2240	7660	168"	82"
7' x 16' + 4'	9900	2320	7580	192"	82"

More details available at sure-trac.com

TILT BED

Car Hauler | Manual



FEATURES

- 15" Radial Tires
- Easy Lube Hubs
- Dual Brake Axles
- Sealed Brake Connections
- 2-5/16" A-Frame Coupler
- 7K Set-Back Bolt-On Jack, Drop Leg
- C-Channel Main Frame
- Full Wrapped Tongue
- HD Bulkhead
- Stake Pockets
- (4) 1/2" D-Rings
- HD Tread Plate Fenders
- Removable Fender (Driver's Side)
- 82" Between Fenders
- Spare Tire Carrier
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- 2" x 6" Pressure Treated Decking
- 7-Way RV-Style Electrical Plug
- Everlink™ Wiring Harness
- All LED Lighting

OPTIONS

- Additional D-Rings
- Winch Mount Plate
- Aluminum Wheels
- Color Options
- Contact Local Dealer For More Options



Removable Fender (Driver's Side)

Size	GVWR	Curb Weight	Payload	Deck Length	Deck Width
7' x 18'	7000	2110	4890	216"	82"
7' x 20'	7000	2190	4810	240"	82"
7' x 18'	9900	2180	7720	216"	82"
7' x 20'	9900	2255	7645	240"	82"

More details available at sure-trac.com

TILT BED

Car Hauler | Electric



FEATURES

- 15" Radial Tires
- Easy Lube Hubs
- Dual Brake Axles
- Sealed Brake Connections
- 2-5/16" A-Frame Coupler
- 7K Set-Back Bolt-On Jack, Drop Leg
- C-Channel Main Frame
- Full Wrapped Tongue
- HD Bulkhead
- Stake Pockets
- (4) 1/2" D-Rings
- HD Tread Plate Fenders
- Removable Fender (Driver's Side)
- 82" Between Fenders
- Spare Tire Carrier
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- 2" x 6" Pressure Treated Decking
- 7-Way RV-Style Electrical Plug
- Everlink™ Wiring Harness
- Power-Up, Power-Down Hydraulics
- Deep Cycle Battery
- Tongue Mounted HD Control Box
- All LED Lighting

OPTIONS

- Battery Charger
- Winch Mount Plate
- Aluminum Wheels
- Wireless Remote Control
- Color Options
- Contact Local Dealer For More Options



Pump Box (Hydraulics)

Size	GVWR	Curb Weight	Payload	Deck Length	Deck Width
7' x 18'	9900	2210	7690	216"	82"
7' x 20'	9900	2260	7640	240"	82"

More details available at sure-trac.com

HYDRAULIC DUMP TRAILERS

Offering best-in-class payload capacity and dependability, **SURE-TRAC** Dump Trailers are the smart choice and offer the widest variety of models in the industry. Whether you are looking to spruce up your property or tackle commercial clean-ups, we offer a dump trailer to help you successfully complete any job.

- UTILITY DUMP
- LOW PROFILE HOMEOWNER DUMP
- SD LOW PROFILE DUMP
- SD DECKOVER DUMP
- HD LOW PROFILE DUMP
- HD LOW PROFILE DUMP w/ 4' SIDES
- HD LOW PROFILE TRI-AXLE DUMP
- HD DECKOVER DUMP w/ FOLD-DOWN SIDES
- HD TANDEM DUAL DUMP





SURE-TRAC DIFFERENCE HYDRAULIC DUMPS *Features Based on HD Models

HD Multi-Function Gate



Evenly distribute your load with the spreader option or open the barn doors for easy access.

Underbody Tool Storage



Secure storage for your tools while on the job or while sitting outside.

110 Volt Battery Charger




Easy access to charge your battery.

Integrated Side Panels



A smooth and sleek appeal that provides more structural support.

Tarp Kit



Secure loose materials for a safer transport.

UTILITY

Dump Trailer



12" Sides



FEATURES

- 10" Radial Tires, 20.5 x 8 x 10 LRE, 5 Lug, Silver
- Low Profile Deckover with 10" Wheels
- 3500 lb. Spring Axle
- Easy Lube Hubs
- 2K Swivel Jack w/ Caster
- Welded Tubular Steel Main Frame
- Detachable Tongue
- 2" A-Frame Ball Coupler
- Integrated Side Body Stiffening System
- Removable Front and Rear Panels Serve as Ramps
- Ramps include Anti-Skid Finish
- (4) 1/2" D-Rings
- 12" Tall Sides
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Protected Remote Holder
- 4-Pole Electrical Plug
- Deep Cycle Battery
- All LED Lighting

OPTIONS

- Wireless Remote Control
- Battery Charger, 110V
- Mesh Tarp
- Color Options
- Contact Local Dealer For More Options



Remote Holder

Size	GVWR	Curb Weight	Payload	Bed Length	Bed Width
4.5' x 8'	2990	940	2050	100"	54"

More details available at sure-trac.com

LOW PROFILE HOMEOWNER

Dump Trailer



16" Sides



FEATURES

- 15" Radial Tires
- Easy Lube Hubs
- All-Wheel Brakes
- Sealed Brake Connections
- 2K Zinc Plated Coupler Mounted Jack
- Welded Tubular Steel Main Frame
- Integrated Side Body Stiffening System
- Stake Pockets
- (5) 1/2" D-Rings
- Integrated Tarp Mount
- Spare Tire Carrier
- HD Tread Plate Fenders
- Tongue Mounted HD Control Box
- Rear Barn Doors with Cambar
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- EverLink™ Wiring Harness
- 7-Way RV-Style Electrical Plug
- Deep Cycle Marine Grade Battery
- All LED Lighting

OPTIONS

- Mesh Tarp
- Additional D-Rings
- Wireless Remote Control
- 5' Landscape Gate
- Color Options
- Contact Local Dealer For More Options



Barn Doors

Size	GVWR	Curb Weight	Payload	Bed Length	Bed Width
SA 5' x 8'	5000	1520	3480	96"	62"
TA 5' x 10'	7000	1860	5140	120"	62"

More details available at sure-trac.com

SD LOW PROFILE

Dump Trailer



10K Model Shown Features 7K Drop Leg Jack

FEATURES

- 15" Radial Tires
- Easy Lube Hubs
- Straight Axles
- All-Wheel Brakes
- Sealed Brake Connections
- 2-5/16" A-Frame Coupler
- 2K Zinc Plated Coupler Mounted Jack (7K)
- 7K Set-Back Jack (10K)
- Welded Tubular Steel Main Frame
- Integrated Side Body Stiffening System
- Spare Tire Carrier
- Stake Pockets
- Ramps
- Integrated Tarp Mount
- HD Tread Plate Fenders
- Combo Barn Door Spreader Gate with Camber
- (5) 1/2" D-Rings
- Tongue Mounted HD Control Box
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Deep Cycle Marine Grade Battery
- EverLink™ Wiring Harness
- 7-Way RV-Style Electrical Plug
- All LED Lighting

20" Sides



OPTIONS

- Additional D-Rings
 - Rear Trailer Support Jacks
 - Wireless Remote Control
 - Battery Charger, 110V
 - Aluminum Wheels
 - Mesh Tarp
 - Color Options
- Contact Local Dealer For More Options



Barn Doors

Size	GVWR	Curb Weight	Payload	Bed Length	Bed Width
6' x 10'	7000	2785	4215	120"	72"
6' x 10'	9900	2950	6950	120"	72"
6' x 12'	9900	3100	6800	144"	72"

More details available at sure-trac.com

SD DECKOVER

Dump Trailer



Shown w/ Optional Tarp Kit and Mud Flaps

FEATURES

- 15" Radial Tires
- Straight Axles
- Easy Lube Hubs
- Sealed Brake Connections
- All-Wheel Brakes
- Welded Tubular Steel Main Frame
- Integrated Side Body Stiffening System
- 2-5/16" A-Frame Coupler
- 2K Zinc Plated Coupler Mounted Jack
- Spare Tire Carrier
- Stake Pockets
- (5) 1/2" D-Rings
- Tongue Mounted HD Control Box
- Integrated Tarp Mount
- Spreader/Pick-Up Style Gate
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Deep Cycle Marine Grade Battery
- EverLink™ Wiring Harness
- 7-Way RV-Style Electrical Plug
- All LED Lighting

16" Sides



OPTIONS

- Additional D-Rings
 - Mesh Tarp
 - Wireless Remote Control
 - Battery Charger
 - Upgrade to Spreader/Barn Doors
 - Aluminum Wheels
 - Color Options
- Contact Local Dealer For More Options



Stake Pocket

Size	GVWR	Curb Weight	Payload	Bed Length	Bed Width
6' x 10'	7000	1820	5180	120"	71.5"
6' x 10'	9900	1940	7960	120"	71.5"

More details available at sure-trac.com

HD LOW PROFILE

Dump Trailer



24" Sides

Gooseneck Models Include HD I-Beam Gooseneck and Dual 12K Jacks

DUAL RAM



FEATURES

- Radial Tires
- HD Set-Back Jack
- Adjustable Coupler
- HD Slipper Spring Axles
- Easy Lube Hubs
- All-Wheel Brakes
- Sealed Brake Connections
- Welded Tubular Steel Main Frame
- Reinforced Combo Barn Door Spreader Gate with Cambar
- HD Ramps (Stored Underneath Bed)
- Integrated Side Body Stiffening System
- Underbody Secure Tool Storage
- 10-Gauge Floor
- Side Steps
- Spare Tire Carrier
- Board Holders
- Stabilizer Jack Receivers (Jacks Optional)
- (5) D-Rings
- Stake Pockets
- Tongue Mounted HD Control Box with Key Lock
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Integrated Tarp Mount
- Tarp Kit (Installed)
- 7-Way RV-Style Electrical Plug
- EverLink™ Wiring Harness
- Deep Cycle Marine Grade Battery
- Battery Charger, 110V
- All LED Lighting



Underbody Tool Storage



Tarp Kit

OPTIONS

- 4" Drop Axle
- HD 12K Jack
- HD I-Beam Gooseneck w/Dual HD 12K
- 7-Gauge Floor
- Rear Trailer Support Jacks
- Wireless Remote Control
- Aluminum Wheels
- Color Upgrades

Contact Local Dealer For More Options

The **DUAL RAM** hydraulic lift system is a simple and budget friendly design. This hoist is proven, time-tested, and has been considered the traditional dump trailer for many years. The two cylinders under the bed work simultaneously to elevate the bed. This is a power-up and power-down application, providing a quick cycle time.

Size	GVWR	Curb Weight	Payload	Bed Length	Bed Width
7' x 12'	12000	3240	8760	144"	82"
7' x 12'	14000	3460	10540	144"	82"
7' x 14'	14000	3600	10400	168"	82"
7' x 16'	14000	3960	10040	192"	82"

More details available at sure-trac.com

SCISSOR



TELESCOPIC



The **SCISSOR** hydraulic lift system contains a hydraulic cylinder within a hoist mounted to the underside of the trailer. This scissor hoist provides additional structural stability, increasing the rigidity between the dump bed and the dump frame. The scissor hoist provides the fastest cycle time of the different hoists, and the power-up and gravity-down reduces battery power and provides more cycles per charge.

Rapidly growing in popularity through proven performance, the **TELESCOPIC** hydraulic lift system provides the best mechanical advantage when lifting a load. Having the cylinder mounted upright on the front of the bed ensures that your entire load is behind your lifting point, and the force being applied to lifting the load is directed vertically to eliminate additional stress to the frame and pivot points.

Size	GVWR	Curb Weight	Payload	Bed Length	Bed Width
7' x 12'	12000	3400	8600	144"	82"
7' x 12'	14000	3620	10380	144"	82"
7' x 14'	14000	3800	10200	168"	82"
7' x 16'	14000	4160	9840	192"	82"
7' x 14'	16000	4040	11960	168"	82"
7' x 16'	16000	4360	11640	192"	82"

More details available at sure-trac.com

Size	GVWR	Curb Weight	Payload	Bed Length	Bed Width
7' x 12'	12000	3240	8760	144"	82"
7' x 12'	14000	3460	10540	144"	82"
7' x 14'	14000	3600	10400	168"	82"
7' x 16'	14000	4100	9900	192"	82"
7' x 14'	16000	4540	11460	168"	82"
7' x 16'	16000	5040	10960	192"	82"

More details available at sure-trac.com

HD LOW PROFILE W/ 4' SIDES

Dump Trailer



HD Combo Doors



12K Jack

FEATURES

- Radial Tires
- HD Slipper Spring Axles
- Easy Lube Hubs
- All-Wheel Brakes
- Sealed Brake Connections
- Adjustable 2-5/16 Coupler
- HD 12K Jack
- Welded Tubular Steel Main Frame
- 48" Sides with 5' Bulkhead
- Integrated Side Body Stiffening System
- Combo Barn Door Spreader Gate with Cambar
- Underbody Secure Tool Storage
- Spare Tire Carrier
- Side Steps
- 10-Gauge Floor
- Board Holders
- Stabilizer Jack Receivers (Jacks Optional)
- Integrated Tarp Mount
- Tarp Kit (Installed)
- HD Ramps (Stored Underneath Bed)
- Stake Pockets
- (5) 1/2" D-Rings
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Deep Cycle Marine Grade Battery
- Battery Charger, 110V
- All LED Lighting
- 7-Way RV-Style Electrical Plug
- Power-Up, Gravity-Down Hydraulics

OPTIONS

- 4" Drop Axles
 - Wireless Remote
 - Rear Trailer Support Jack
 - Color Options
- Contact Local Dealer For More Options

Size	GVWR	Curb Weight	Payload	Bed Length	Bed Width
7' x 12' TELESCOPIC	14000	3500	10500	144"	82"
7' x 14' TELESCOPIC	14000	3750	10250	168"	82"
7' x 16' TELESCOPIC	14000	4250	9750	192"	82"
7' x 12' SCISSOR	14000	3770	10230	144"	82"
7' x 14' SCISSOR	14000	3950	10050	168"	82"
7' x 16' SCISSOR	14000	4110	9890	192"	82"

More details available at sure-trac.com

HD LOW PROFILE TRI-AXLE

Dump Trailer



24" Sides

FEATURES

- 16" Radial Tires
- HD Slipper Spring Axles
- Easy Lube Hubs
- All-Wheel Brakes
- Sealed Brake Connections
- HD I-Beam Gooseneck
- Dual 12K HD Jacks
- Welded Tubular Steel Main Frame
- Underbody Secure Tool Storage
- HD Control Box with Key Lock
- Combo Barn Door Spreader Gate with Cambar
- Spare Tire Carrier
- Side Steps
- Integrated Side Body Stiffening System
- 10-Gauge Floor
- Ramps (Stored Underneath Bed)
- Stake Pockets
- (5) 5/8" D-Rings
- Stabilizer Jack Receivers (Jacks Optional)
- Integrated Tarp Mount
- Tarp Kit (Installed)
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Deep Cycle Marine Grade Battery
- Battery Charger, 110V
- 7-Way RV-Style Electrical Plug
- EverLink™ Wiring Harness
- Telescopic Hoist
- Power-Up, Gravity-Down Hydraulics

HD I-Beam Gooseneck and Dual 12K Jacks



Shown with 48" Sides

OPTIONS

- 4" Drop Axle
 - 7-Gauge Floor
 - Additional D-Rings
 - Rear Trailer Support Jacks
 - King Pin Coupler
 - Color Options
- Contact Local Dealer For More Options



HD Ramps

Size	GVWR	Curb Weight	Payload	Bed Length	Bed Width
7' x 16' TRI-AXLE	21000	5440	15560	192"	82"
7' x 16' TRI-AXLE (48" Sides)	21000	6530	14470	192"	82"

More details available at sure-trac.com

HD DECKOVER W/ FOLD-DOWN SIDES

Dump Trailer



HD 12K Jack

FEATURES

- 16" Radial Tires
- HD Slipper Spring Axles
- Easy Lube Hubs
- All-Wheel Brakes
- Sealed Brake Connections
- Adjustable Coupler
- HD 12K Jack
- 20" Fold-Down Sides
- Integrated Side Body Stiffening System
- 34" Deck Height
- 10-Gauge Floor
- Underbody Secure Tool Storage
- Reinforced Combo Barn Door Spreader Gate
- HD Ramps
- Stabilizer Jack Receivers (Jacks Optional)
- Tongue Mounted HD Control Box
- (5) 1/2" D-Rings
- Integrated Tarp Mount
- Tarp Kit (Installed)
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Deep Cycle Marine Grade Battery
- Battery Charger, 110V
- 7-Way RV-Style Electrical Plug
- EverLink™ Wiring Harness
- All LED Lighting
- Power-Up, Gravity-Down Hydraulics

20" Sides



OPTIONS

- HD I-Beam Gooseneck
 - 7-Gauge Floor
 - Wireless Remote
 - Rear Trailer Support Jacks
 - Color Options
- Contact Local Dealer For More Options



D-Rings

Size	GVWR	Curb Weight	Payload	Bed Length	Bed Width
8' x 14'	14000	4140	9860	168"	96"
8' x 16'	14000	4400	9600	192"	96"

More details available at sure-trac.com

HD TANDEM DUAL

Dump Trailer



48" Tall Sides

FEATURES

- 16" Radial ST235 80R16 LRE, Gray Dually
- 10000 lb. Axles
- All-Wheel Brakes
- Sealed Brake Connections
- I-Beam Gooseneck
- Dual 12K HD Bolt-on Jacks
- 48" Tall Sides
- Body Stiffeners
- Rub Rail Down Side of Body Panels
- Rear Barn Doors with Cambar
- Integrated Tarp Mount
- Tarp Kit (Installed)
- Spare Tire Carrier
- Powder Coat Finish
- EverLink™ Wiring Harness
- 7-Way RV-Style Electrical Plug
- Deep Cycle Marine Grade Battery
- Battery Charger, 110V
- All LED Lighting
- 40-Degree Dump Angle
- Power-Up, Gravity-Down Hydraulics



OPTIONS

- Dual 2-Speed Jacks
 - Hydraulic Jacks
 - 96" Ramps - Reinforced Fabricated Ramps
 - Wireless Remote Control
 - Additional D-Rings
 - Color Options
- Contact Local Dealer For More Options



110V Charger

Size	GVWR	Curb Weight	Payload	Bed Length	Bed Width
8.5' x 16'	25900	6900	19000	192"	96"
8.5' x 18'	25900	7450	18450	216"	96"
8.5' x 20'	25900	8000	17900	240"	96"

More details available at sure-trac.com

EQUIPMENT TRAILERS

Designed to optimize durability, payload capacity, and standard features, **SURE-TRAC** equipment trailers are proven to perform. Whether you are looking for a small HD trailer to transport a man lift, or a tandem axle trailer to haul a skid steer, we have you covered with our large selection of equipment trailers. Featuring Tilt-Beds, Low Profile Deck Height, Full-Width Ramps, and Drive-Over Fenders, we are sure to have the trailer that will meet any job application.

- IMPLEMENT
- FULL-WIDTH IMPLEMENT
- UNIVERSAL RAMP IMPLEMENT
- SKID STEER
- HD EQUIPMENT
- SINGLE AXLE TILT BED EQUIPMENT
- TILT BED EQUIPMENT





SURE-TRAC DIFFERENCE EQUIPMENT TRAILERS

Universal Full-Width Ramps



Safely load equipment with full-width ramps.

Drive-Over Fenders



Full-width deck and drive-over fenders accommodate all equipment applications.

Spring-Assist Ramps



Raise and lower the ramps with less effort.

Tilt Bed



Enhance efficiency and save time and energy with a tilt bed.

Drop-In Toolbox (optional)



Easily add to your trailer to securely store necessary accessories.
*Standard on 20K Models

IMPLEMENT

Equipment Trailer



Optional 12K Jack



HD 4" Channel Ramps



Spring-Assist Ramps

FEATURES

- Radial Tires
- HD Slipper Spring Axles (14K+)
- Easy Lube Hubs
- Sealed Brake Connections
- C-Channel Full Wrap Tongue (10K - 16K Models)
- HD I-Beam Tongue and Frame (20K Models)
- Extended Tongue
- HD Tube Bulkhead (NEW)
- HD Reinforced Diamond Plate Fenders
- 2' Beavertail
- 3' Beavertail (20K Models)
- HD 4" Channel Stand-Up Ramps
- HD Mesh-Covered Spring-Assisted Ramps (20K)
- Spare Tire Carrier
- (4) 1/2" D-Rings (10K and 14K Models)
- (4) 5/8" D-Rings (16K and 20K Models)
- Stake Pockets and Rub Rail
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Pressure Treated 2" x 6" Decking
- Rear Board Retainers
- All LED Lighting
- EverLink™ Wiring Harness

OPTIONS

- Gooseneck
- Hydraulic Jack
- Fork Holders
- Color Options
- Additional Sizes Available

Contact Local Dealer For More Options

Size	GVWR	Curb Weight	Payload	Deck Length (Flat Deck)	Deck Width
7' x 16' + 2'	9900	2750	7150	192"	82"
7' x 18' + 2'	9900	2950	6950	216"	82"
7' x 16' + 2'	14000	2870	11130	192"	82"
7' x 18' + 2'	14000	3195	10805	216"	82"
7' x 16' + 2'	16000	3520	12480	192"	82"
7' x 18' + 2'	16000	3700	12300	216"	82"

More details available at sure-trac.com

FULL WIDTH IMPLEMENT

Equipment Trailer



FEATURES

- Radial Tires
- Adjustable Coupler
- HD Slipper Spring Axles (14K+)
- Easy Lube Hubs
- Sealed Brake Connections
- C-Channel Full Wrap Tongue (10K, 14K and 16K Models)
- Extended Tongue
- HD Tube Bulkhead (NEW)
- HD Reinforced Drive-Over Fenders
- Treadplate Outriggers (10K - 16K Models) (NEW)
- 2' Beavertail
- 3' Beavertail (20K Models)
- Slide-In 5' Fabricated Ramps (10K Models)
- HD 4" Channel Stand-Up Ramps (14K and 16K Models)
- Spring-Assisted Ramps (14K+ Models)
- Spare Tire Carrier
- (4) 1/2" D-Rings (10K and 14K Models)
- (4) 5/8" D-Rings (16K and 20K Models)
- (2) Banjo Plates cut into Fabricated Beavertail (10K - 16K Models)
- Stake Pockets and Rub Rail
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Pressure Treated 2" x 6" Decking
- Rear Board Retainers
- EverLink™ Wiring Harness

OPTIONS

- Additional D-Rings
- Fork Holders
- Oak Decking
- Hydraulic Jack
- Color Options

Contact Local Dealer For More Options



10K Model



Drive-Over Fenders

Size	GVWR	Curb Weight	Payload	Deck Length (Flat Deck)	Deck Width
8.5' x 16' + 2'	9900	1782	8218	192"	102" Between Fenders - 82"
8.5' x 18' + 2'	9900	1980	8020	216"	102" Between Fenders - 82"
8.5' x 16' + 2'	14000	3035	10965	192"	102" Between Fenders - 82"
8.5' x 18' + 2'	14000	3135	10865	216"	102" Between Fenders - 82"
8.5' x 16' + 2'	16000	3575	12425	192"	102" Between Fenders - 82"
8.5' x 18' + 2'	16000	3785	12215	216"	102" Between Fenders - 82"

More details available at sure-trac.com

20K IMPLEMENT **NEW!**

Size	GVWR	Curb Weight	Payload	Deck Length (Flat Deck)	Deck Width
7' x 13' + 3'	20000	3900	16100	156"	82"
7' x 15' + 3'	20000	3990	16010	180"	82"
7' x 17' + 3'	20000	4420	15580	204"	82"



ADDITIONAL FEATURES ON 20K EQUIPMENTS

- HD I-Beam Frame and Tongue
- HD 4" Channel, Mesh-Covered Ramps
- Adjustable 4-Bolt Pintle
- HD 12K Jack
- Drop-In Toolbox



I-Beam Tongue and Frame



20K FULL WIDTH IMPLEMENT **NEW!**

Size	GVWR	Curb Weight	Payload	Deck Length (Flat Deck)	Deck Width
7' x 13' + 3'	20000	4140	15860	156"	102" <small>Between Fenders - 82"</small>
7' x 15' + 3'	20000	4600	15400	180"	102" <small>Between Fenders - 82"</small>
7' x 17' + 3'	20000	5060	14940	204"	102" <small>Between Fenders - 82"</small>

More details available at sure-trac.com

UNIVERSAL RAMP IMPLEMENT

Equipment Trailer



Shown with Optional 12K Jack

FEATURES

- Radial Tires
- Adj. 4-Bolt Pintle and HD 12K Jack (16K Models)
- HD Slipper Spring Axles
- Easy Lube Hubs
- Sealed Brake Connections
- C-Channel Full Wrap Tongue
- Extended Tongue
- HD Tube Bulkhead (NEW)
- 3' Cleated Beavertail
- 3' Universal Full Width Ramps
- Spring-Assisted Ramps
- HD Reinforced Diamond Plate Fenders
- Stake Pockets and Rub Rail
- (4) 1/2" D-Rings (14K Models)
- (4) 5/8" D-Rings (16K Models)
- Spare Tire Carrier
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Pressure Treated 2" x 6" Decking
- Rear Board Retainers
- All LED Lighting
- EverLink™ Wiring Harness



OPTIONS

- HD 12K Jack
 - Hydraulic Jack
 - Drop-In A-Frame Toolbox
 - Oak Decking
 - Color Options
- Contact Local Dealer For More Options



D-Rings

Size	GVWR	Curb Weight	Payload	Deck Length (Flat Deck)	Deck Width
7' x 15' + 3'	14000	2970	11030	180"	82"
7' x 17' + 3'	14000	3030	10970	204"	82"
7' x 15' + 3'	16000	3475	12525	180"	82"
7' x 17' + 3'	16000	3535	12465	204"	82"

More details available at sure-trac.com

SKID STEER

Equipment Trailer



10K Model Shown

FEATURES

- Radial Tires
- Eye-to-Eye Spring Axles (10K GVWR)
- HD Slipper Spring Axles (14K GVWR)
- 7K Set-Back Jack
- Easy Lube Hubs
- Sealed Brake Connections
- C-Channel Tongue
- HD Reinforced Diamond Plate Fenders
- HD 4" Channel Stand-Up Ramps
- Spring-Assisted Ramps
- Stake Pockets and Rub Rail
- (4) 1/2" D-Rings (10K and 14K Models)
- Spare Tire Carrier
- Powder Coat Finish
- Pressure Treated 2" x 6" Decking
- Rear Board Retainers
- EverLink™ Wiring Harness
- All LED Lighting

OPTIONS

- Additional D-Rings
- Fork Holders
- Upgrade Decking to Oak or Steel
- Drop-In A-Frame Toolbox
- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options



HD 4" Channel Ramps



Adjustable Coupler

Size	GVWR	Curb Weight	Payload	Deck Length	Deck Width
7' x 16'	9900	2600	7300	192"	79.25"
7' x 18'	9900	2700	7200	216"	79.25"
7' x 20'	9900	3300	6600	240"	79.25"
7' x 16'	14000	2920	11080	192"	79.25"
7' x 18'	14000	2955	11045	216"	79.25"
7' x 20'	14000	3520	10480	240"	79.25"

More details available at sure-trac.com

HD EQUIPMENT

Equipment Trailer



FEATURES

- Radial Tires
- Adjustable 2-5/16" Coupler (14K Models)
- 4-Bolt Adjustable Pintle (16K Models)
- HD 12K Jack
- HD Slipper Spring Axles
- Easy Lube Hubs
- HD Mesh-Covered 4" Channel Stand-Up Ramps
- Heavy 3" x 3" Tube Top Rail for Structural Rigidity
- 3" x 2" Tube Uprights
- Tread Plate Fenders
- 2' Beavertail
- (4) 1/2" D-Rings (14K Models)
- (4) 5/8" D-Rings (16K Models)
- Spare Tire Carrier
- Stake Pockets
- Spring-Assisted Ramps
- Bead Blasted, Iron Phosphate Washed
- Powder Coat Finish
- Pressure Treated 2" x 6" Decking
- Front and Rear Board Retainers
- Wiring Enclosed In Tubular Steel
- All LED Lighting
- Everlink™ Wiring Harness



HD Mesh-Covered Ramps



3" x 3" Tube Top Rail

OPTIONS

- HD Contractors Gate
- Additional D-Rings
- Drop-In A-Frame Toolbox
- Landscape Basket
- Mesh Sides
- Aluminum Wheels
- Color Options
- Contact Local Dealer For More Options

Size	GVWR	Curb Weight	Payload	Deck Length (Flat Deck)	Deck Width
7' x 16' + 2'	14000	3150	10850	192"	82"
7' x 18' + 2'	14000	3400	10600	216"	82"
7' x 20' + 2'	14000	3440	10560	240"	82"
7' x 16' + 2'	16000	3550	12450	192"	82"
7' x 18' + 2'	16000	4100	11900	216"	82"
7' x 20' + 2'	16000	4210	11790	240"	82"

More details available at sure-trac.com

SINGLE AXLE TILT BED

Equipment Trailer



A-Frame Toolbox

12' 10K Model Shown

FEATURES

- Radial Tires
- Adjustable 2-5/16" Coupler
- 7K Drop Leg Jack
- Torsion Axle (22.5 Deg. Up)
- Easy Lube Hubs
- Tube Full Wrap Tongue
- Tube Construction
- HD Diamond Plate Knife Edge Tail
- HD Reinforced Diamond Plate Fenders
- (4) 1/2" D-Rings
- Stake Pockets and Rub Rail
- A-Frame Toolbox
- Powder Coat Finish
- Pressure Treated 2" x 6" Decking
- Rear Board Retainers
- Cushion Cylinder
- All LED Lighting
- EverLink™ Wiring Harness

OPTIONS

- Surge Brakes
 - Additional D-Rings
 - Hydraulic Stop Valve
 - Aluminum Wheels
 - Color Options
- Contact Local Dealer For More Options



Hydraulic Damper

Size	GVWR	Curb Weight	Payload	Deck Length (Tilt Deck)	Deck Width
5' x 10'	6000	1360	4640	128.5"	62"
6.5' x 12'	7800	1900	5900	152.5"	78"
6.5' x 12' + 4'	7800	2100	5700	152.5"	78"
6.5' x 12'	9900	2200	7700	152.5"	78"
6.5' x 12' + 4'	9900	2400	7500	152.5"	78"

More details available at sure-trac.com

TILT BED EQUIPMENT

Equipment Trailer



FEATURES

- Radial Tires
- 4" Drop Axles
- HD Slipper Spring Axles (14K and 16K GVWR)
- Easy Lube Hubs
- Sealed Brake Connections
- C-Channel Full Wrap Tongue
- Extended Tongue
- Nested Frame
- Tapered Entry for 82" Loading Clearance
- HD Diamond Plate Knife Edge Tail
- HD Tube Bulkhead (NEW)
- HD Reinforced Diamond Plate Fenders
- (4) 1/2" D-Rings (10K and 14K Models)
- (4) 5/8" D-Rings (16K Models)
- Stake Pockets and Rub Rail
- Spare Tire Carrier
- Powder Coat Finish
- Pressure Treated 2" x 6" Decking
- Rear Board Retainers
- 7-Way RV-Style Electrical Plug
- EverLink™ Wiring Harness
- Cushion Cylinder
- All LED Lighting
- 11.5-Degree Tilt Angle



82" Load Width

OPTIONS

- Drop-In A-Frame Toolbox
 - HD 12K Jack
 - Additional D-Rings
 - Oak Decking
 - Electric Hydraulic Power Tilt
 - Color Options
- Contact Local Dealer For More Options



Optional Drop-In Toolbox

Size	GVWR	Curb Weight	Payload	Deck Length (Tilt Deck)	Deck Width
7' x 18'	9900	3120	6780	222"	82"
7' x 18' + 4'	9900	3430	6470	222"	82"
7' x 18'	14000	3320	10680	222"	82"
7' x 18' + 4'	14000	3730	10270	222"	82"
7' x 18'	16000	4020	11980	222"	82"
7' x 18' + 4'	16000	4430	11570	222"	82"

More details available at sure-trac.com

DECKOVER TRAILERS

SURE-TRAC Deckover Trailers are built to perform a lifetime of rugged service. Featuring Cross-Trac™ bracing to stabilize the trailer, even under the most extreme loads, and pierced frames for lower deck heights, these commercial-grade deckovers are ready to work as hard as you do. Features like Self-Cleaning Beavertails, HD D-Rings, Chain Spools, and Side Steps are all included to save you time and money. With the largest variety of options available, Sure-Trac makes it easy for you to find the right trailer to meet your needs.

- SD FLATBED
- SD BEAVERTAIL
- HD LOW PROFILE BEAVERTAIL
- HD LOW PROFILE TILT
- HD LOW PROFILE W/ HYDRAULIC BEAVERTAIL
- AIR BRAKE
- LOW PROFILE FLATBED





SURE-TRAC DIFFERENCE DECKOVER TRAILERS

Pierced Frame



Provides lower deck height for easy access, and creates a safer loading angle.
*HD Models Only

Hydraulic Beavertail



10' Beavertail provides optimal loading level, and full width makes loading safe and convenient.

Power Tilt Deck



Optimal load angle and no ramps to make loading a breeze.

Air Brake Deckover



Air Brake Deckovers feature 40,000 lb. payload for pavers and other industrial equipment.

HD I-Beam Gooseneck



Provides ultimate stability to reduce sway and provide safe towing.

SD FLATBED

Deckover Trailer



FEATURES

- Radial Tires
- Adjustable 2-5/16" Ball
- HD 12K Jack
- HD Slipper Spring Axles
- Sealed Brake Connections
- Easy Lube Hubs
- HD Tube Bulkhead
- Multi-Position Spare Tire Carrier (BP Only)
- (6) 5/8" D-Rings
- HD Stake Pockets and Rub Rail
- Powder Coat Finish
- Treated Decking
- All LED Lighting
- Everlink™ Wiring Harness

OPTIONS

- Gooseneck
 - Slide-In Ramps
 - Oak Decking
 - Color Options
- Contact Local Dealer For More Options



Optional Gooseneck

Size	GVWR	Curb Weight	Payload	Deck Length	Deck Height
8.5' x 18' <small>Bumper Pull</small>	15000	2685	12315	216"	36"
8.5' x 20' <small>Bumper Pull</small>	15000	3070	11930	240"	36"
8.5' x 22' <small>Bumper Pull</small>	15000	3457	11543	264"	36"
8.5' x 18' <small>Gooseneck</small>	15000	3485	11515	216"	36"
8.5' x 20' <small>Gooseneck</small>	15000	3870	11130	240"	36"
8.5' x 22' <small>Gooseneck</small>	15000	4257	10743	264"	36"

More details available at sure-trac.com

SD BEAVERTAIL

Deckover Trailer



Shown with Optional HD I-Beam GN, Dual Jacks, and Toolbox



FEATURES

- Radial Tires
- Adjustable 2-5/16" Ball
- HD 12K Jack
- HD Slipper Spring Axles
- Sealed Brake Connections
- Easy Lube Hubs
- HD Tube Bulkhead
- Multi-Position Spare Tire Carrier (BP Only)
- (8) 5/8" D-Rings
- HD Stake Pockets and Rub Rail
- HD 4" Channel Stand-Up Ramps
- Powder Coat Finish
- Treated Decking
- All LED Lighting
- Everlink™ Wiring Harness

OPTIONS

- Gooseneck
 - Additional D-Rings
 - Oak Decking
 - Color Options
- Contact Local Dealer For More Options



Bumper Pull Standard

Size	GVWR	Curb Weight	Payload	Deck Length (Flat Deck)	Deck Height
8.5' x 18' + 4' <small>Bumper Pull</small>	15000	3130	11870	216"	36"
8.5' x 20' + 4' <small>Bumper Pull</small>	15000	3475	11525	240"	36"
8.5' x 22' + 4' <small>Bumper Pull</small>	15000	3825	11175	264"	36"
8.5' x 18' + 4' <small>Gooseneck</small>	15000	3930	11070	216"	36"
8.5' x 20' + 4' <small>Gooseneck</small>	15000	4275	10725	240"	36"
8.5' x 22' + 4' <small>Gooseneck</small>	15000	4625	10375	264"	36"

More details available at sure-trac.com

HD LOW PROFILE BEAVERTAIL BUMPER PULL Deckover Trailer



FEATURES

- Radial Tires
- HD Slipper Spring Axles
- Easy Lube Hubs (15K and 17.6K)
- Oil Filled Hubs (22.5K+)
- Sealed Brake Connections
- Adjustable Pintle Hitch
- HD 12K Jack
- Pierced Frame (Low Profile)
- HD Bulkhead
- (10) 5/8" D-Rings
- HD Stake Pockets and Rub Rail
- Chain Spools
- Spring-Assist Flip-Over Ramps
- Side Steps
- Spare Tire Carrier
- Powder Coat Finish
- 2" x 6" Pressure Treated Decking
- All LED Lighting
- Everlink™ Wiring Harness



OPTIONS

- Axle Upgrades
- Hydraulic Jack
- Midship Turn Signals
- Additional D-Rings
- Oak Deck
- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options



Tube Bumper

Size	GVWR	Curb Weight	Payload	Deck Length (Flat Deck)	Deck Height
8.5' x 20' + 5' Bumper Pull	15000	4640	10360	240"	32"
8.5' x 20' + 5' Bumper Pull	17600	4740	12860	240"	32"
8.5' x 20' + 5' Bumper Pull	22500	5540	16960	240"	32"
8.5' x 20' + 5' Bumper Pull	25900	5840	20060	240"	32"
8.5' x 20' + 5' Bumper Pull	32000	6210	25790	240"	32"

More details available at sure-trac.com

HD LOW PROFILE BEAVERTAIL GOOSENECK Deckover Trailer



FEATURES

- Radial Tires
- HD Slipper Spring Axles
- Easy Lube Hubs (15K and 17.6K)
- Oil Filled Hubs (22.5K+)
- Sealed Brake Connections
- HD I-Beam Gooseneck
- Dual HD 12K Jacks with Toolbox
- Pierced Frame (Low Profile)
- HD Bulkhead
- (10) 5/8" D-Rings
- HD Stake Pockets and Rub Rail
- Chain Spools
- Spring-Assist Flip Over Ramps
- Side Steps
- Spare Tire Carrier
- Powder Coat Finish
- 2" x 6" Pressure Treated Decking
- All LED Lighting
- Everlink™ Wiring Harness

Shown with Optional Full-Width Ramps



OPTIONS

- Axle Upgrades
- Hydraulic Jacks
- Midship Turn Signals
- Additional D-Rings
- Oak Deck
- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options



Pierced Frame

Size	GVWR	Curb Weight	Payload	Deck Length (Flat Deck)	Deck Height
8.5' x 20' + 5' Gooseneck	15000	4930	10070	240"	32"
8.5' x 20' + 5' Gooseneck	17600	5030	12570	240"	32"
8.5' x 20' + 5' Gooseneck	22500	5800	16700	240"	32"
8.5' x 20' + 5' Gooseneck	25900	6100	19800	240"	32"
8.5' x 20' + 5' Gooseneck	30000	6520	23480	240"	32"

More details available at sure-trac.com

HD LOW PROFILE POWER TILT

Deckover Trailer



110V Charger

OPTIONS

- Gooseneck
- Winch Track
- Oak Decking
- Wireless Remote Control
- Midship Turn Signals
- Hydraulic Jacks

Contact Local Dealer For More Options

FEATURES

- Radial Tires
- Adjustable Pintle Hitch
- HD 12K Jack
- HD Slipper Spring Axles
- Easy Lube Hubs
- Sealed Brake Connections
- HD Bulkhead
- (6) 5/8" D-Rings
- HD Stake Pockets and Rub Rail
- Chain Spools
- Side Step
- Spare Tire Carrier
- Tongue Mounted HD Control Box
- Powder Coat Finish
- Deep Cycle Battery
- Battery Charger, 110V
- Treated Decking
- All LED Lighting
- Everlink™ Wiring Harness
- Dual Hydraulics
- 15-Degree Loading Angle

Size	GVWR	Curb Weight	Payload	Deck Length (Tilt Deck)	Deck Height
8.5' x 22' Bumper Pull Gooseneck	15000	4485 4775	10515 10225	264"	34"
8.5' x 22' + 4' Bumper Pull Gooseneck	15000	5170 5460	9830 9540	264"	34"
8.5' x 22' Bumper Pull Gooseneck	17600	4825 5115	12775 12485	264"	34"
8.5' x 22' + 4' Bumper Pull Gooseneck	17600	5370 5660	12230 11940	264"	34"

More details available at sure-trac.com

HD LOW PROFILE w/ HYDRAULIC BEAVERTAIL

Deckover Trailer



HD 5" Cylinder

FEATURES

- Radial Tires
- HD I-Beam Gooseneck
- Dual HD 12K Jacks with Toolbox
- Oil-Bath Axles (22.5K+)
- Sealed Brake Connections
- Pierced Frame (Low Profile)
- 6" C-Channel Outer Frame
- 3" C-Channel Cross Members
- HD Bulkhead
- (10) 5/8" D-Rings
- HD Stake Pockets and Rub Rail
- Chain Spools
- Side Steps
- Spare Tire Carrier
- Powder Coat Finish
- Treated Decking
- Deep Cycle Battery
- Battery Charger, 110V
- All LED Lighting
- Everlink™ Wiring Harness
- HD 5" Bore Twin Lift Cylinders in Beavertail

OPTIONS

- Wireless Remote
 - Hydraulic Jacks
 - Midship Turn Signals
 - Additional D-Rings
 - Color Options
 - Additional Sizes Available
- Contact Local Dealer For More Options

Size	GVWR	Curb Weight	Payload	Deck Length (Including Beavertail)	Deck Height
8.5' x 20' + 10'	22500	6520	15980	360"	32"
8.5' x 20' + 10'	25900	6680	19220	360"	32"
8.5' x 20' + 10'	30000	7580	22420	360"	32"

More details available at sure-trac.com

AIR BRAKE

Deckover Trailer



FEATURES

- 215/75R18 LRH Tires
- 66K Pintle Eye
- Dual 50K 2-Speed Jacks
- Safety Chains (5/8" High Test)
- Hutch Suspension
- Oil-Bath Axles
- Hi-Tensile Steel Construction
- Full Pierced Beam Construction
- Steel Plated Tongue
- Fabricated Bulkhead
- Step-On Tongue
- (12) 1" D-Rings
- Lockable Toolbox In Tongue
- Spare Tire Carrier
- Cleated Wheel Covers
- 5' Bi-Directional, Fold-Flat Spring-Assisted Wood-Filled Ramps
- Powder Coat Finish
- 2" Nominal Oak Decking
- Mud Flaps
- All LED Lighting
- EverLink™ Wiring Harness



OPTIONS

- Air Ride Suspension
 - Fifth Wheel Attachment
 - Winch Packages
 - Ramp Options
 - Color Options
- Contact Local Dealer For More Options



Hutch Suspension

Size	GVWR	Curb Weight	Payload	Deck Length (Flat Deck)	Deck Height
8.5' x 20' +5'	49000	9450	39550	240"	34-1/4"
8.5' x 24' +5'	61000	11300	49700	288"	34-1/4"

More details available at sure-trac.com

LOW PROFILE FLATBED

Deckover Trailer



FEATURES

- Radial Tires
- Adjustable 2-5/16" Coupler
- 7K Drop Leg Jack
- Eye-to-Eye Spring Axles
- Easy Lube Hubs
- Sealed Brake Connections
- HD Bulkhead
- (6) 1/2" D-Rings
- Stake Pockets and Rub Rail
- Multi-Position Spare Tire Carrier
- Diamond Plate Wheel Covers
- 8' Fabricated Slide In Steel Ramps
- Powder Coat Finish
- 32" Deck Height
- Pressure Treated 2" x 6" Decking
- EverLink™ Wiring Harness
- All LED Lighting

OPTIONS

- Axle Upgrades
 - HD 12K Jack
 - Additional D-Rings
 - Mud Flaps
 - Upgrade Decking to Oak or Steel
 - Drop-In A-Frame Toolbox
 - Color Options
- Contact Local Dealer For More Options



Also Available in Beavertail

Size	GVWR	Curb Weight	Payload	Deck Length	Deck Height
8.5' x 16'	9900	2645	7255	192"	32"
8.5' x 18'	9900	2830	7070	216"	32"
8.5' x 20'	9900	3015	6885	240"	32"

More details available at sure-trac.com

ENCLOSED TRAILERS

Sure-Trac enclosed trailers are built to be a lasting investment. All Pro Series models include industry-leading features, such as a One-Piece Aluminum Roof, Screw-less Exterior, Finished Interior, and Aluminum Wheels. With a large variety of models to choose from, you can be sure to find a model that matches your requirements. Whether you are moving your kid to college, taking your side-by-side to the trails, or running your own professional landscape business, you can be confident that your **Sure-Trac** enclosed trailer will deliver proven performance.

- **PRO SERIES WEDGE CARGO**
- **PRO SERIES ROUND TOP CARGO**
- **MOTO PRO** BULLNOSE AND WEDGE
- **PRO SERIES WEDGE CAR HAULER**
- **PRO SERIES ROUND TOP CAR HAULER**
- **RACING PRO BULLNOSE CAR HAULER**
- **CONTRACTOR PRO BULLNOSE CARGO**
- **LANDSCAPE PRO BULLNOSE CARGO**





SURE-TRAC DIFFERENCE ENCLOSED TRAILERS

Aluminum Wheels



Professional appearance and enhanced corrosion resistance.

6'6" Interior Height



Extra head room and loading height means more cargo capacity.

Screw-less Exterior



Unique method provides for a clean look to the exterior of your trailer, while providing the durability of a unit with screws.

Thermo-Sheath® Liner



Finished look that provides additional roof support and insulating value.

Torsion Axles



Independent suspension that provides a smoother ride and enhanced trailer rigidity.

PRO SERIES WEDGE CARGO

5' and 6' Wide | Enclosed Trailer



2K Set-Back Jack

FEATURES

- 13.5" Ext. Wedge Depth
- Tube Frame and Tongue
- 16" On-Center Tube Wall Studs
- 24" On-Center C-Channel Floor Crossmembers
- 24" On-Center Tube Roof Bows
- Zinc-Plated Set-Back Jack
- 4" Drop Spring Axles
- Torsion Axles (TA)
- Easy Lube Hubs
- 15" Radial Tires
- 3/8" Plywood Wall Liner w/Aluminum H-Trim
- 3/4" Engineered Wood Flooring
- Thermo-Sheath® Ceiling Liner
- (1) 12-Volt LED Dome Light w/ Switch
- All LED Lights
- Integrated Backup Lights on Tandem Models
- .030 Smooth Aluminum Exterior
- Screw-less Exterior
- 24" Stoneguard W/Top Trim
- Seamless Aluminum Roof w/ 3" Top Trim
- 3" Bottom Trim
- Aluminum Fenders
- Rubberized Undercoating
- Polyethylene Vapor Barrier
- Flow-Through Scoop Vents
- Aluminum Door Holders



5' WIDE FEATURES

- 5' Interior Height
- Silver Wheels
- 2250 lb. Rated Ramp Door

6' WIDE FEATURES

- 6' Interior Height
- Aluminum Wheels
- 2250 lb. Rated Ramp Door
- 32" x 64" RV Side Door

Size	GVWR	Curb Weight	Payload	Rear Door Opening Width x Height	Interior Width
5' x 8'	2990	850	2140	50" x 53.75"	57"
5' x 10'	2990	1100	1890	50" x 53.75"	57"
6' x 10'	2990	1240	1750	62" x 66.75"	69"
6' x 12'	2990	1390	1600	62" x 66.75"	69"
TA 6' x 12'	7000	1880	5120	62" x 66.75"	69"

More details available at sure-trac.com

PRO SERIES WEDGE CARGO

Tandem Axle | Enclosed Trailer



2K Set-Back Jack
(7K Models)

FEATURES

- 18.5" Ext. Wedge Depth
- Tube Frame and Tongue
- 16" On-Center Tube Wall Studs
- 16" On-Center C-Channel Floor Crossmembers
- 24" On-Center Tube Roof Bows
- Set-Back Jack
- Torsion Axles
- All Wheel Brakes
- Radial Tires on Aluminum Wheels
- 3/8" Plywood Wall Liner w/Aluminum H-Trim
- 3/4" Engineered Wood Flooring
- Thermo-Sheath® Ceiling Liner
- (2) 12-Volt LED Dome Lights w/Switch
- All LED Lights w/ Integrated Backup Lights
- .030 Smooth (Screw-less) Aluminum Exterior
- 24" Stoneguard w/Top Trim
- Seamless Aluminum Roof w/ 3" Top Trim
- 3" Bottom Trim
- Aluminum Fenders
- Rubberized Undercoating
- Polyethylene Vapor Barrier
- Flow-Through Scoop Vents
- 32" x 70" RV Side Door w/Aluminum Door Holder
- 2250 lb. Ramp Door w/Wood Flap (7' Wide)
- 4100 lb. Ramp Door w/Wood Flap (8.5' Wide)

6'6" Interior Height



OPTIONS

- Also available in 14K and 16K models
- Barn Doors
- Electrical Options
- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options



Flow-Through Scoop Vents

Size	GVWR	Curb Weight	Payload	Rear Door Opening Width x Height	Interior Width
7' Wide 12' 14' 16' 18'	7000	1900 2040 2120 2220	5100 4960 4880 4780	74" x 72.50"	81"
7' Wide 12' 14' 16' 18'	9900	2150 2290 2400 2550	7750 7610 7500 7350	74" x 72.50"	81"
8.5' Wide 16' 18' 20'	7000	2880 3260 3610	4120 3740 3390	90" x 72.50"	97" Between Fenders - 80.5"
8.5' Wide 16' 18' 20' 24'	9900	3350 3430 3760 4420	6550 6470 6140 5480	90" x 72.50"	97" Between Fenders - 80.5"

More details available at sure-trac.com

PRO SERIES ROUND TOP CARGO

Enclosed Trailer



FEATURES

- Tube Frame and Tongue
- 16" On-Center Tube Wall Studs
- 16" On-Center C-Channel Floor Crossmembers
- 24" On-Center Tube Roof Bows
- Set-Back Jack
- Torsion Axles
- All Wheel Brakes
- Radial Tires on Aluminum Wheels
- 3/8" Plywood Wall Liner w/Aluminum H-Trim
- 3/4" Engineered Wood Flooring
- Thermo-Sheath® Ceiling Liner
- (2) 12-Volt LED Dome Lights w/Switch
- All LED Lights w/ Integrated Backup Lights
- .030 Smooth (Screw-less) Aluminum Exterior
- 24" Stoneguard w/Top Trim
- Seamless Aluminum Roof w/ 3" Top Trim
- 3" Bottom Trim
- Aluminum Fenders
- Rubberized Undercoating
- Polyethylene Vapor Barrier
- Flow-Through Scoop Vents
- 32" x 70" RV Side Door w/Aluminum Door Holder
- 2250 lb. Ramp Door w/Wood Flap (7' Wide)
- 4100 lb. Ramp Door w/Wood Flap (8.5' Wide)

6'6" Interior Height



OPTIONS

- Also available in 14K and 16K models
- Barn Doors
- Electrical Options
- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options



2K Set-Back Jack (7K Models)

Size	GVWR	Curb Weight	Payload	Rear Door Opening Width x Height	Interior Width
7' Wide 12' 14' 16' 18'	7000	1900 2040 2120 2220	5100 4960 4880 4780	74" x 72.50"	81"
7' Wide 12' 14' 16' 18'	9900	2170 2290 2400 2470	7730 7610 7500 7430	74" x 72.50"	81"
8.5' Wide 16' 18' 20'	7000	2960 3105 3330	4040 3895 3670	90" x 72.50"	97" Between Fenders - 80.5"
8.5' Wide 16' 18' 20' 24'	9900	3130 3355 3580 3980	6770 6545 6320 5920	90" x 72.50"	97" Between Fenders - 80.5"

More details available at sure-trac.com

MOTO PRO

Enclosed Trailer



Bullnose Model

Aluminum Polished Cast Corners, Chrome Front Corners, and Chrome Rear Hoop

FEATURES

- 6' 6" Interior Height
- Tube Frame and Tongue
- 16" On-Center Tube Wall Studs
- 16" On-Center C-Channel Floor Crossmembers
- 24" On-Center Tube Roof Bows
- Set-Back Jack
- Torsion Axle
- 15" Radial Tire
- Aluminum Wheels
- 3/8" White Vinyl Covered Wall Liner
- White Vinyl Covered Ceiling Liner
- 3/4" Engineered Wood Flooring
- Recessed D-Rings (4 in SA, 8 in TA)
- Wheel Chock (Shipped Loose) (1 in SA, 2 in TA)
- (1) 12-Volt LED Dome Light, w/ wall switch (SA)
- (2) 12-Volt LED Dome Lights, w/ wall switch (TA)
- (4) Slimline LED Stop, Tail, Turn Tail Lights w/ Integrated Backup Lights
- 24" ATP Stone Guard w/ Top Trim
- .030 Smooth (Screw-less) Aluminum Exterior
- Seamless Aluminum Roof w/ 3" Top Trim
- 3" Bottom Trim



Wedge Model

24" Deep Wedge, Chrome Nose Cap and Corners, with Chrome Rear Hoop

- Rubberized Undercoating
- Polyethylene Vapor Barrier
- Flow-Through Scoop Vents
- 24" Bright Skirting along sides and rear
- 32" x 70" Side Door w/ Aluminum Door Holder
- 4" Wide Door Posts for max. opening width
- 2250 lb. Ramp Door
- 1/4" Turn Die-Cast Paddle Latches on Ramp Door
- Contact Local Dealer For More Options



Rear Spoiler w/ Light Package

Size	GVWR	Curb Weight	Payload	Rear Door Opening Width x Height	Interior Width
SA 6.5' x 10'	3500	1345	2155	70" x 72.50"	75"
SA 6.5' x 12'	3500	1505	1995	70" x 72.50"	75"
SA 7.5' x 12'	3500	1875	1625	81.75" x 72.50"	87" Between Fenders - 79"
TA 7.5' x 12'	7000	2035	4965	81.75" x 72.50"	87" Between Fenders - 79"
TA 7.5' x 14'	7000	2185	4815	81.75" x 72.50"	87" Between Fenders - 79"
TA 7.5' x 16'	7000	2270	4730	81.75" x 72.50"	87" Between Fenders - 79"
TA 7.5' x 18'	7000	2380	4620	81.75" x 72.50"	87" Between Fenders - 79"

More details available at sure-trac.com

PRO SERIES WEDGE CAR HAULER

Enclosed Trailer



FEATURES

- 18.5" Exterior Wedge Depth
- Tube Frame and Tongue
- Triple-Tube Tongue
- 16" On-Center Tube Wall Studs
- 16" On-Center C-Channel Floor Crossmembers
- 24" On-Center Tube Roof Bows
- 48" Beavertail (24" on 16' unit)
- Set-Back Jack
- Torsion Axles
- All Wheel Brakes
- Radial Tires on Aluminum Wheels
- 3/8" Plywood Wall Liner w/Aluminum H-Trim
- 3/4" Engineered Wood Flooring
- (4) 6K D-Rings
- Thermo-Sheath® Ceiling Liner
- (2) 12-Volt LED Dome Lights w/Wall Switch
- All LED Lights
- Integrated Backup Lights
- .030 Smooth (Screw-less) Aluminum Exterior
- 24" Stoneguard w/Top Trim
- Seamless Aluminum Roof w/ 3" Top Trim
- 3" Bottom Trim
- Rubberized Undercoating
- Polyethylene Vapor Barrier
- Flow-Through Scoop Vents
- 48" x 70" RV Side Door w/Aluminum Door Holder
- Step Well
- 4100 lb. Rated HD Rear Ramp Door w/ Wood Flap

6'6" Interior Height



OPTIONS

- Also available in 16K models
- Electrical Options
- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options



D-Rings

Size	GVWR	Curb Weight	Payload	Rear Door Opening Width x Height	Interior Width
8.5' Wide 16' 18' 20'	7000	3135 3250 3425	3865 3750 3575	90" x 76.50"	97" Between Fenders - 80.5"
8.5' Wide 18' 20' 24' 28'	9900	3450 3600 3900 4650	6450 6300 6000 5250	90" x 76.50"	97" Between Fenders - 80.5"
8.5' Wide 20' 24' 28' 32'	14000	4330 4650 4975 5450	9670 9350 9025 8550	90" x 76.50"	97" Between Fenders - 80.5"

More details available at sure-trac.com

PRO SERIES ROUND TOP CAR HAULER

Enclosed Trailer



FEATURES

- Tube Frame and Tongue
- Triple-Tube Tongue
- 16" On-Center Tube Wall Studs
- 16" On-Center C-Channel Floor Crossmembers
- 24" On-Center Tube Roof Bows
- 48" Beavertail (24" on 16' unit)
- Set-Back Jack
- Torsion Axles
- All Wheel Brakes
- Radial Tires on Aluminum Wheels
- 3/8" Plywood Wall Liner w/Aluminum H-Trim
- 3/4" Engineered Wood Flooring
- (4) 6K D-Rings
- Thermo-Sheath® Ceiling Liner
- (2) 12-Volt LED Dome Lights w/Wall Switch
- All LED Lights
- Integrated Backup Lights
- .030 Smooth (Screw-less) Aluminum Exterior
- 24" Stoneguard w/Top Trim
- Seamless Aluminum Roof w/ 3" Top Trim
- 3" Bottom Trim
- Rubberized Undercoating
- Polyethylene Vapor Barrier
- Flow-Through Scoop Vents
- 48"x70" RV Side Door w/Aluminum Door Holder
- Step Well
- 4100 lb. Rated HD Rear Ramp Door w/ Wood Flap

6'6" Interior Height



OPTIONS

- Also available in 16K models
- Electrical Options
- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options



48" Side Door

Size	GVWR	Curb Weight	Payload	Rear Door Opening Width x Height	Interior Width
8.5' Wide 16' 18' 20'	7000	3120 3250 3425	3880 3750 3575	90" x 76.50"	97" Between Fenders - 80.5"
8.5' Wide 18' 20' 24' 28'	9900	3450 3600 3900 4325	6450 6300 6000 5575	90" x 76.50"	97" Between Fenders - 80.5"
8.5' Wide 20' 24' 28' 32'	14000	4330 4650 4975 5450	9670 9350 9025 8550	90" x 76.50"	97" Between Fenders - 80.5"

More details available at sure-trac.com

RACING PRO BULLNOSE CAR HAULER

Enclosed Trailer



Deluxe Model Shown



7' Interior Height

FEATURES

- Tube Frame and Tongue
- 6" Extended Triple-Tube Tongue
- 16" On-Center Tube Wall Studs
- 16" On-Center C-Channel Floor Crossmembers
- 16" On-Center Tube Roof Bows
- 48" Beavertail (24" on 16' unit)
- Adjustable 2-5/16" Coupler
- 7K Set-Back Jack
- Torsion Axles with 12" Spread
- Individual Fender Flares
- Radial Tires on Aluminum Wheels
- White Vinyl Walls and White Ceiling
- (4) 6K D-Rings
- 3/4" Engineered Wood Flooring
- (2) High Output Rectangular Dome Lights w/ 3-Way Switch
- (4) Slimline LED Stop, Tail, Turn Tail Lights
- Integrated Backup Lights
- .030 Smooth (Screw-less) Aluminum Exterior
- 24" Stoneguard w/Top Trim
- Seamless Aluminum Roof w/ 3" Top Trim
- 12" Rear Spoiler with Light Package

- 3" Bottom Trim
- Rubberized Undercoating
- Polyethylene Vapor Barrier
- Flow-Through Scoop Vents
- 48" x 70" RV Side Door w/Aluminum Door Holder
- Step Well
- 4" Wide Door Posts for max. opening width
- 4100 lb. Rated HD Rear Ramp Door w/ Nu-Poly Flap
- 1/4 Turn Die-Cast Paddle Latches

OPTIONS

- Color Options
- Additional Sizes Available
- Contact Local Dealer For More Options

DELUXE MODEL

- Rubber Treadplate Flooring
- Upper and Lower Front Cabinets with Countertop (Cabinet Color to Match Exterior of Trailer)
- (4) High Output Rectangular Dome Lights
- 36" Aluminum Pull-Out Step
- Additional Marker Lights on side, and (3) Amber LED Eyebrow Lights
- Battery and Trickle Charger
- Contact Local Dealer For More Options



Aluminum Side Step *Deluxe Model



Optional Premium Escape Door



Upper and Lower Front Cabinets *Deluxe Model



Rear Spoiler and Light Package

Size	GVWR	Curb Weight	Payload	Rear Door Opening Width x Height	Interior Width
8.5' Wide 18" 20" 24" 28"	9900	4900 5100 5440 6360	5000 4800 4460 3540	92" x 82.50"	97" Between Fenders - 80.5"
8.5' Wide 20" 24" 28" 32"	14000	5440 5640 5960 6880	8560 8360 8040 7120	92" x 82.50"	97" Between Fenders - 80.5"

More details available at sure-trac.com

CONTRACTOR PRO BULLNOSE CARGO

Enclosed Trailer



Shown with Optional Tool Crib, Ladder Racks, Front Ladder, Platform, and Barn Doors

FEATURES

- 6'6" Interior Height
- 6" x 2" Tube Frame and Tongue
- 6" Extended Tongue
- Tri-Tongue on 8.5' Wides
- 16" On-Center Tube Wall Studs
- 12" On-Center C-Channel Floor Crossmembers
- 16" On-Center Tube Roof Bows
- Braced Walls
- Reinforced Wall Posts with 4" x 4" Gussets
- 9" x 14" Corner Gussets
- 2-5/16" Adjustable Coupler and 7K Set-Back Jack
- Torsion Axles
- Radial Tires on Aluminum Wheels (up to 14K)
- 3/8" Plywood Wall Liner w/ Aluminum H-Trim
- 3/4" Engineered Wood Flooring
- Thermo-Sheath® Ceiling Liner
- Flat Front Full Width Interior Wall
- (2) 12-Volt LED Dome Lights w/ (2) 3-Way Wall Switches
- All LED Lights w/ Integrated Backup Lights
- .030 Smooth (Screw-less) Aluminum Exterior
- 24" Stoneguard W/Top Trim
- Seamless Aluminum Roof w/ 3" Top Trim
- 3" Bottom Trim



6'6" Interior Height

- Rubberized Undercoating
- Polyethylene Vapor Barrier
- Flow-Through Scoop Vents
- 32" x 70" RV Side Door w/Barlock Add-On
- HD Ramp Door with Integrated Transition or Double Rear Barn Doors w/Cam Bar
- 4100 lb. Ramp Door
- Aluminum Door Holders on Side Door and Rear Double Doors



9" x 14" Corner Gussets

Size	GVWR	Curb Weight	Payload	Rear Door Opening Width x Height	Interior Width
8.5' x 16'	9900	3450	6450	90" x 72.5"	97" <small>Between Fenders - 80.5"</small>
8.5' x 18'	9900	3600	6300	90" x 72.5"	97" <small>Between Fenders - 80.5"</small>
8.5' x 20'	9900	3750	6450	90" x 72.5"	97" <small>Between Fenders - 80.5"</small>
8.5' x 16'	14000	3600	10400	90" x 72.5"	97" <small>Between Fenders - 80.5"</small>
8.5' x 18'	14000	3750	10250	90" x 72.5"	97" <small>Between Fenders - 80.5"</small>
8.5' x 20'	14000	4080	9920	90" x 72.5"	97" <small>Between Fenders - 80.5"</small>

More details available at sure-trac.com

LANDSCAPE PRO ROUND TOP CARGO

Enclosed Trailer



FEATURES

- Tube Frame and Tongue
- 6" Extended Tongue
- 16" On-Center Tube Wall Studs
- 12" On-Center C-Channel Floor Crossmembers
- 16" On-Center Tube Roof Bows
- 2-5/16" Adjustable Coupler and 7K Set-Back Jack
- (1) HD 24" Deep Wood Shelf
- 48" Posts w/(3) TB-01 Gridiron Trimmer Brackets
- Torsion Axles
- Radial Tires on Aluminum Wheels (up to 14K)
- 3/8" Plywood Wall Liner w/ Aluminum H-Trim
- 3/4" Pressure Treated Plywood Floor
- 3/4" x 11" Plywood Kickpanel
- Thermo-Sheath® Ceiling Liner
- Flat Front Full Width Interior Wall
- (2) LED Dome Lights / (2) 3-Way Switches
- All LED Lights w/ Integrated Backup Lights
- .030 Smooth (Screw-less) Aluminum Exterior
- 24" Stoneguard W/Top Trim
- Seamless Aluminum Roof w/ 3" Top Trim
- 3" Bottom Trim
- Rubberized Undercoating
- Polyethylene Vapor Barrier
- Flow-Through Scoop Vents
- (2) Non-Powered Roof Vents
- 32" x 70" RV Side Door w/Barlock Add-On
- Super Duty 8250 lb. Ramp Door with Integrated Transition
- Aluminum Door Holders on Side Door

6'6" Interior Height



OPTIONS

- Hitch and Jack Options
- Frame and Wall Options
- Axle Options
- Wheel/Tire Upgrades
- Door Options
- Exterior Options
- Concession Packages
- Additional Sizes Available
- Contact Local Dealer For More Options



Integrated Transition

Size	GVWR	Curb Weight	Payload	Rear Door Opening Width x Height	Interior Width
8.5' x 18'	9900	3980	5920	90" x 72.5"	97" <small>Between Fenders - 80.5"</small>
8.5' x 20'	9900	4205	5695	90" x 72.5"	97" <small>Between Fenders - 80.5"</small>
8.5' x 24'	9900	4655	5245	90" x 72.5"	97" <small>Between Fenders - 80.5"</small>
8.5' x 18'	14000	4150	9850	90" x 72.5"	97" <small>Between Fenders - 80.5"</small>
8.5' x 20'	14000	4250	9750	90" x 72.5"	97" <small>Between Fenders - 80.5"</small>
8.5' x 24'	14000	4650	9350	90" x 72.5"	97" <small>Between Fenders - 80.5"</small>

More details available at sure-trac.com



“One of my favorite photos of our setup with our newly vinyl'd **Sure Trac** enclosed trailer. I feel like our professional image and presentation went 10X that spring and I'm super thankful for the setup we have today. Our enclosed trailer was a huge investment for us back then, and it definitely stretched us, but I'm super happy that we pulled the trigger on this 8.5x16!”

- [@brianslawnmaintenance](https://www.instagram.com/brianslawnmaintenance)



Follow us on Instagram @suretractrailer.
Have a Sure-Trac story to tell? Tag us in your posts/stories on Instagram and share your experience.

We live and work in Indiana, the heart of farm country and the center of American manufacturing. Here, values matter.

We started making trailers with the idea to offer quality products with great service and to deal fairly with all people, including our suppliers, employees, community, and customers. Our purpose is to create opportunities for people to make their lives better and to leave a legacy of positive change.

**A GOOD CHARACTER
A STRONG WORK ETHIC
A SERVICE MINDSET
ACCOUNTABILITY
A DRIVE TO IMPROVE**

Living these values, we have become one of the best professional trailer manufacturers in North America. Dealer support has rewarded us with 16 years of continuous growth; for that, we are truly grateful. We look forward to serving you for many years to come!

Thank You!



"Without this trailer we wouldn't be able to do what we do each and every single day. Just as the manufacturer helps us out by making a solid product, we can help others out by providing a very valuable service! And at the end of the day that's what matters; helping others and making a difference by serving our community!"
- @thelawncarelifeinmowssouri





SURE-TRAC
By Novae®

SMART - CONFIDENT - PROVEN

    [sure-trac.com](https://www.sure-trac.com)

This document is provided for informational purposes only. Pictures, illustrations, and text may include options and accessories not available at all times or as standard equipment. Contact your local dealer for exact specifications. All trademarks, service marks, trade names, trade dress, product names and logos appearing in this document are the property of their respective owners. Novae Corp® and Sure-Trac® are registered trademarks of Novae Corp. All rights reserved. © 2020 Novae Corp®


Novae
Sure-Trac Trailers
Novae Corp
1 Novae Parkway
Markle, IN 46770

Authorized Sure-Trac Trailer Dealer